

# IPLR2.5, IPLR2.5T, IPLR2.5T-FLOOR

Recessed - water protected



IP67 Water protected


# IPLR2.5, IPLR2.5T, IPLR2.5T-FLOOR

Recessed - water protected


# ZALITE

## Dimensions


### IPLR2.5



### IPLR2.5T




### IPLR2.5T-FLOOR



Dimensions

---




# IPLR2.5, IPLR2.5T, IPLR2.5T-FLOOR

Recessed - water protected



## 1. Base Model

IPLR2.5	Recessed (Trimless)
IPLR2.5T	Recessed (with Trim)
IPLR2.5T-FLOOR	Recessed (with Trim) - for mounting in Floor



## 2. Run Length

xxxM	1.5M maximum per single length Separate fixtures can be joined end to end.
------	---

## 3. LED Lamping

STD - (4000K)	Standard Output, LED 20W/M 1600 delivered lumen, 63 lm/W
ASY - (4000K)	Asymmetric lens, LED 20W/M 2800 delivered lumen, 98 lm/W
HI - (4000K)	High Output, LED 30W/M 2100 delivered lumen, 60 lm/W

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV - xxxxK	Additional LED Options Constant Voltage (for custom lengths) 24/12VDC Contact factory for detail
TW	Tunable White (2700K - 6500K) Contact factory for detail
RGBW	RGB+WHITE - 24/12VDC Contact factory for detail

## 4. Driver


0/1-10V	0/1-10V dimming
DALI	DALI dimming
NONDIM	Non-dimmable
OTHER	(Consult factory for options)

## 5. Finish

AL	Standard, natural aluminum
BK	Black powdercoat
WH	White powdercoat
Custom / ____	Custom powdercoat

## 6. Lens

EXT	Frosted acrylic lens
ASY+WD	Asymmetric lens+clear diffuser



## 7. Additional options

EM	1.5 hour Emergency Kit
MS	Motion sensor
Others	Contact factory

# IPLR2.5, IPLR2.5T, IPLR2.5T-FLOOR

Recessed - water protected

# ZALITE

---

## Housing

100% recyclable, extruded architectural grade T6063 aluminum

## Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup. Consult factory for options.


## Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.

White, Black, or custom powdercoat options are also available.



WH - WHITE



AL - ALUMINUM



Custom/\_\_\_\_

Default canopy finish is to match fitting color, unless otherwise specified



BK - BLACK



ISO 9001:2015