





## FEATURES

- Clear glass housing
- Remoted driver, dim or non-dim available
- Wide range of colors
- 100% recyclable, extruded architectural grade T6063 aluminum

## DIMENSIONS



## DISTRIBUTIONS



## ORDERING INFO

### KP - 2 - LOW



<b>LIGHT DISTRIBUTION</b>	Direct
<b>DELIVERED LUMENS</b>	720lm@3000K / 760lm@4000K
<b>SDCM</b>	< 3
<b>CCT</b>	3000K / 3500K / 4000K / RGBW
<b>CRI</b>	> 90
<b>POWER</b>	13W
<b>DIMMING</b>	Non-dim / 0/1-10V / DALI
<b>INPUT</b>	220-240V AC
<b>CABLE</b>	Length 3m, clear teflon cable
<b>SIZE</b>	φ318x385mm
<b>FINISH</b>	See color codes as shown

### KP - 2 - STD



<b>LIGHT DISTRIBUTION</b>	Direct
<b>DELIVERED LUMENS</b>	1000lm@3000K / 1060lm@4000K
<b>SDCM</b>	< 3
<b>CCT</b>	3000K / 3500K / 4000K / RGBW
<b>CRI</b>	> 90
<b>POWER</b>	19W
<b>DIMMING</b>	Non-dim / 0/1-10V / DALI
<b>INPUT</b>	220-240V AC
<b>CABLE</b>	Length 3m, clear teflon cable
<b>SIZE</b>	φ318x385mm
<b>FINISH</b>	See color codes as shown

## COLOR CODE

### PLATED



Polish Chrome (PC)




Polish Gold (PG)

### POWDER COAT




Matt Black (BK)



Matt White (WH)



Silver Grey (SG)



Custom Finish(CF)



*More information and data,  
please visit:  
[www.zalite.cn](http://www.zalite.cn)*

V1.0\_2025-12