

LIGHTPLANE 1 WALL GRAZER

LPL1WGID

Indirect / Direct Wall Mounted




LIGHTPLANE 1 WALL GRAZER - LPL1WGID


INDIRECT / DIRECT - Wall Mounted

ZALITE

Dimensions



Distribution



LIGHTPLANE 1 WALL GRAZER - LPL1WGID




INDIRECT / DIRECT - Wall Mounted

1. Base Model

LPL1WGID Wall Mounted (Indirect / Direct)

LPL1WGID
Wall Mounted Indirect / Direct



2. Run Length

Enter total linear length, (example: 6M)

3. LED Lamping (indirect and indirect) - If no uplight required order fitting "LPL1WG".

STD - **xxxxK** (example: STD-4000K) Standard Output, LED 2x20W/M 4150 delivered lm, 84 lm/W @ 4000K

HI - **xxxxK** (example: HI-4000K) High Output, LED 2x30W/M 5600 delivered lm, 80 lm/W @ 4000K

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV - **xxxxK** Additional LED Options
Constant Voltage (for custom lengths) 24/12VDC
Contact factory for detail

TW Tunable White (2700K - 6500K)

RGBW Contact factory for detail
RGB+WHITE - 24/12VDC
Contact factory for detail

5. LED Driver (remote only)

0/1-10V 0/1-10V dimming
DALI DALI dimming
DMX DMX dimming
NONDIM Non-dimmable
OTHER (Consult factory for options)

6. Finish

AL Standard, natural aluminum
BK Black powdercoat
WH White powdercoat
Custom Custom Color

7. Additional options

EM 1.5 Hour Emergency Kit
MS Motion sensor
Others Contact factory

LIGHTPLANE 1 WALL GRAZER - LPL1WGD

INDIRECT / DIRECT - Wall Mounted

ZALITE

Housing

100% recyclable, extruded architectural grade T6063 aluminum

Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup.
Consult factory for options.

Options


Mitered Corners

Consult factory for mitered corner angle options.

Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.


White, Black, Custom powdercoat options also available.



Mitered Corners




WH - WHITE



AL - ALUMINUM



BK - BLACK



Custom/____



ISO 9001:2015