


---

**LIGHTPLANE RECESSED 1 BURIED LENS  
LPLRT1B**

Recessed




# LIGHTPLANE RECESSED 1 BURIED LENS LPLRT1B

# ZALITE

Recessed with Trim


## Dimensions

---



## Distribution

---



# LIGHTPLANE RECESSED 1 BURIED LENS LPLRT1B




Recessed with Trim

## 1. Base Model

LPLRT1B

Recessed

LPLRT1B  
Recessed



## 2. Run Length

Enter total linear length, (example: 6M)

## 3. LED Lamping

STD - **xxxx**K (example: STD-4000K)

Standard Output, LED 20 W/M, 1400 delivered lm/M , 63 lm/W @ 4000K

HI - **xxxx**K (example: HI-4000K)

High Output, LED 30 W/M, 2100 delivered lm/M, 60 lm/W @ 4000K

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV - **xxxx**K

Additional LED Options

Constant Voltage (for custom lengths) - 12Vdc/24Vdc

Contact factory for detail

TW

Tunable White (2700K - 6500K)

Contact factory for detail

RGBW - **xxxx**K

Standard Output - RGB+WHITE - 12Vdc/24Vdc

Contact factory for detail

## 4. LED Driver (remote driver only)

0/1-10V

0/1-10V dimming

DALI

DALI dimming

DMX

DMX dimming

NONDIM

Non-dimmable

OTHER

(Consult factory for options)

## 5. Finish

AL

Standard, natural aluminum

BK

Black powdercoat

WH

White powdercoat

Custom

Custom Color

## 6. Additional options (remote only)

EM

1.5H Emergency Kit

MS

Motion sensor

Others

Contact factory for others

# LIGHTPLANE RECESSED 1 BURIED LENS LPLRT1B

# ZALITE

Recessed with Trim

---

## Housing

100% recyclable, extruded architectural grade T6063 aluminum

---

## Emergency


Luminaires can be wired for emergency circuit and/or emergency battery backup.  
Consult factory for options.

---

## Options

### Mitered Corners

Consult factory for mitered corner angle options.



Mitered Corners

---

## Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.  
White, Black, Custom powdercoat options also available.



WH - WHITE



AL - ALUMINUM



BK - BLACK



Custom/\_\_\_\_



ISO 9001:2015