

LIGHTPLANE LINEAR UU - LPLUU

Indirect / Direct

Suspended
Wall



LIGHTPLANE LINEAR UU — LPLUU

INDIRECT / DIRECT - Suspended, Wall

ZALITE




LIGHTPLANE LINEAR UU — LPLUU


INDIRECT / DIRECT - Suspended, Wall



Dimensions



Distribution



LIGHTPLANE LINEAR UU — LPLUU


INDIRECT / DIRECT - Suspended, Wall




1. Base Model

LPLUU-S	Suspended (Indirect / Direct)
LPLUU-WM	Wall Mounted (Indirect / Direct)

LPLUU-S
Suspended - Indirect / Direct



LPLUU-WM
Suspended - Indirect / Direct



2. Run Length

Enter total linear length, (example: 6M)

3. Lamping (direct and indirect)

STD - **xxxxK** (example: STD-4000K) Standard Output, LED 2x20W/M 4800 delivered lumen, 101 lm/W

HI - **xxxxK** (example: HI-4000K) High Output, LED 2x30W/M 6700 delivered lumen, 96 lm/W

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K
Dual LED strip available

CV - **xxxxK** Additional LED Options
Constant Voltage (for custom lengths) 24/12VDC
Contact factory for detail

TW Tunable White (2700K - 6500K)
Contact factory for detail

RGBW RGB+WHITE - 24/12VDC
Contact factory for detail

LIGHTPLANE LINEAR UU — LPLUU

INDIRECT / DIRECT - Suspended, Wall

ZALITE

5. Driver

0/1-10V	0/1-10V dimming
DALI	DALI dimming
DMX	DMX dimming
NONDIM	Non-dimmable
OTHER	(Consult factory for options)

6. Finish

AL	Standard, natural aluminum
BK	Black powdercoat
WH	White powdercoat
Custom	Custom Color

7. Additional options

EM	1.5Hour Emergency Kit
MS	Motion sensor
Others	Contact factory

LIGHTPLANE LINEAR UU — LPLUU

INDIRECT / DIRECT - Suspended, Wall

ZALITE

Housing

100% recyclable, extruded architectural grade T6063 aluminum

Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup. Consult factory for options.

Options

Mitered Corners

Consult factory for mitered corner angle options.


Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.

White, Black, Custom powdercoat options also available.




Suspension & Power



Mitered Corners



WH - WHITE



AL - ALUMINUM



BK - BLACK



Custom / ____

Default canopy finish is to match fitting color, unless otherwise specified



ISO 9001:2015