
NOVENTA3.5 – NV3.5


Suspended
Corner Mount



NOVENTA3.5 — NV3.5

Suspended, Corner Mount

ZALITE




NOVENTA3.5 — NV3.5


Suspended, Corner Mount

ZALITE

Dimensions



Distribution



NOVENTA3.5 — NV3.5


Suspended, Corner Mount

ZALITE


1. Base Model

NV3.5-S	Suspended 'L orientation'
NV3.5-SDIA	Suspended 'DIAMOND orientation'
NV3.5-SM	Surface, Wall, Ceiling, Corner Mounted


NV3.5-S
Suspended "L" orientation



NV3.5-SDIA
Suspended "DIAMOND" orientation



NV3.5-SM
Wall, Ceiling or Corner Mount



NOVENTA3.5 — NV3.5

Suspended, Corner Mount

ZALITE

2. Run Length

Enter total linear length, (example: 6M)

3. Lamping

	SINGLE ROW LINEAR LED
STD - xxxxK	Standard Output, LED 20W/M 3150 delivered lm/M, 106 lm/W @ 4000K
HI - xxxxK	High Output, LED 30W/M 3500 delivered lm/M, 100 lm/W @ 4000K
	CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K Dual Row LED Strip Available
	Additional Single Row LED Options
CV	Constant Voltage (for custom lengths) - 12Vdc/24Vdc Contact factory for detail
TW	Tunable White (2700K - 6500K) Contact factory for detail
RGBW	Standard Output - RGB+WHITE - 24Vdc/12Vdc Contact factory for detail

4. Driver

0/1-10V	0/1-10V dimming
DALI	DALI dimming
DMX	DMX dimming
NONDIM	Non-dimmable
OTHER	(Consult factory for options)

5. Finish

AL	Standard, natural aluminum
BK	Black powdercoat
WH	White powdercoat
Custom	Custom Color

6. Additional options

EM	1.5 Hour Emergency Kit
MS	Motion Sensor
Others	Contact factory

NOVENTA3.5 — NV3.5

Suspended, Corner Mount

ZALITE

Housing

100% recyclable, extruded architectural grade T6063 aluminum

Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup.
Consult factory for options.

Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.


White, Black, Custom powdercoat options also available.



Suspension & Power



WH - WHITE



AL - ALUMINUM



BK - BLACK



Custom / _____

Default canopy finish
is to match fitting color,
unless otherwise
specified



ISO 9001:2015